No. 44

131/ 17 May 1946

dyp

Military Government



Weekly Health Report

This report is a continuation of the Public Health Section of the Military Government WEEKLY FIELD REPORT

It should be considered only as a historical recording of certain operational details, problems and observations deemed by the field personnel to be of sufficient importance to report to higher head-quarters. Monthly reports absorb important matters and contain conclusions based upon factual data officially submitted for the purpose of estimated operational progress

MEDICAL
DEC 13 1946
LIBRARY

HEADQUARTERS
UNITED STATES FORCES EUROPEAN THEATER
OFFICE OF MILITARY GOVERNMENT (U. S. ZONE)
PUBLIC HEALTH BRANCH

Military Government

Weekly Health Report

to those all and to make the control of the control

Anatomic es eles brestance ed block il als assentings miches to presence its frames analisments between the transplant transport to the entire of an alternative edition of an alternative edition of transport transpor

Medical.

UMITED STATES FORCES EURC

PUBLIC DEALIN ORANCH

Occupied Germany:

Attached as Appendices "A", "B", and "C" are summaries of cases and deaths by Regierungsbezirk and Land and case rates by Regierungsbezirk and Land for the week ending 27 April 1946.

Communicable Diseases: No cases of typhus fever were reported in the U.S. Sector of Berlin during the week ending 27 April 1946, the first negative weekly typhus report for the sector since the first of the year. The ten cases in Bavaria comprise the first true indigenous outbreak of typhus fever that has occurred, and were found in four families in Regenstaus, a small town in Regierungsbezirk Niederbayern. Control measures promptly applied confined the infection to the four families involved, and no new cases have developed.

Nutrition: Land Wuerttemberg-Baden reports the results of a nutritional survey in Mannheim revealing clinical symptoms of malnutrition especially in children, with 60% of the infants showing evidence of rickets and some children were found to be 30% to 40% underweight. Bavaria reports a nutritional survey of 732 people in the town of Passau with the result that very few cases of avitaminosis were discovered, the weight status was good and there were no cases of malnutrition in the hospital. Also, a survey in Straubing was completed including 405 determinations of hemoglobin and serum protein and 158 dietary histories. It was revealed that all categories, except moderate heavy and heavy workers (no dietaries on very heavy workers) were receiving adequate caloric intake.

Medical Supplies: Land Bavaria reports receipt of 1,300,000 tablets Sulfathiazol, 212,000 tablets Sulfonamides, 23,000 ampules Betaxin (Vitamin B) and 7,300 ampules of Cod Liver Extract (Campolon) from the British Zone during the past week. In addition to these some hormone preparations, cough medicines, and scabies medicines were received. Of approximately twenty tons of medical supplies received in Berlin during the week, ten tons were from the C. E. Medical Dump No. 4 Ihringhausen and the other ten tons were from biological and pharmaceutical concerns in the U. S. Zone of Occupation.

Also, 3900 vials of 200,000 units each of penicillin were obtained from the Army Medical Depot at Weinheim for use in the Venereal Disease program of treatment of civilians in the U.S. Sector of Berlin.

Nursing Affairs: Three additional schools of nursing have recently been reopened in Greater Hesse bringing the total to twenty nine.

Venereal Disease: Because of the reluctance of many patients to report voluntarily for the currently enforced isolation treatment in venereal disease hospitals, regulations have been changed to authorize ambulatory treatment with penicillin at the established venereal disease treatment centers for certain categories of patients.

APPENDIX "A"

Communicable Disease Report United States Zone of Germany for Week Ending 27 April 1946

-													like	l pr		
u		Measles	98	* *	-1	* *	* *	24	20	4	24	11	13	11	11	
1	hs	eznəulini	88	25	11	* *	* *	11	11	=	148	-	m	12	11	
	d: deaths	Malaria	6	11	11	-1	11	m	11	11	11	-	m	- 1		1
	9:	Encephalitis epidemic	-1	11	11	11	11	11	11	11	- 1	11	11	11	stat	
	cases	Rabies	11	11	11	11	11	11	11	11	11	11	11	11	11	
	c: ca	Scabies	2580	158	445	619	* *	230	136	32	146	625	189	488	11	
		Infectious Jaundice	4 2	* *	11	* *	* *	11	11	m	-	11		11	11	ort.
	ASI	Undulant Fever	11	11	11	11	11	11	11	11	11	11	11	11	11	s rep
	DISE	Bact. Food Poisoning	7	11		11	11	11	11	11	11	- 1	11	11	11	n thi
	and DEATHS of COMMUNICABLE DISEASE	Dysentery infectious	19	11	11	-1	7	77	11	11	1	17	m	7	01	in report from British Zone - not included in the totals on this report. Delinquent report - data received by telephone.
	AICA VICA	Paratyphoid	21	7	11	-1	m	7	m	7	11	11	00	11	11	9. 9.
	MUN	Typhoid Fever	118	4-	70	41		7	7	- 1	<u>ت</u> ا	5-	9 8	17	17	in the
	OM	silidqy2	543	16	77	59	37	72	24	96	49	29	35	23	49	luded y tele
	of C	Conorrhea	858	78	175	204	103	288	153	262	124	150	179	140	142	of inc
-	TH	Poliomyelitis	11	11	1-1	11	11	11	11	11	11	11	11	11	11	eceiv
	DEA	Meningitis meningococcus	4	11	11	7	-	11	11	11	-	1-	11		11	Zone ata r
0	and	Whooping Cough	308	19	29	* *	* *	121	-1	33	22	23	54	11	11	itish t - d
		Tuberculosis other	82 21	9-	mm	5 4	47	= m	~ m	7-	9-	0	12	11	16	repor
	CA	Tuberculosis lung	569	55	35	90	13	16	40	58	51	38	62	9 %	34	ort fro
	Nev	Scarlet Fever	160	4	26	14	00	16	13	7-	12	4 1	= 1	m	25	in report from British Zone - not included in the Delinquent report - data received by telephone.
	Reported Number of New CASES	Diphtheria	688	8	33	54	28	19	99	72	56	84	79	44	65	Bremen included i
	nmb	X614InA	11	11	11	11	11	11	11	11	11	11	11	11	11	inclu
	Np	Plague	11	11	11	11	11	11	11	11	11	* *	* *	11	* *	men
	orte	Cholera	11	11	11	11	11	11	11		11	* *	* *	11	* *	
	Rep	xoqllsm2	11	11	11		11	11	11		11	11	11	11		98
		Louse-borne Relapsing Fever										111			11	
		Iyphus Fever	61	11	11	61	11		11			1	11		11	
		Cases, Deaths	00	OO	00	00	OO	00	00	00	00	00	00	סט	OD	
		Popu- lation	15,570,584	927,000	2,140,055	1,966,526	1,018,162	2,094,785	1,042,724	1,322,421	1,080,779	1,135,775	1,908,151	69	934,000	nitted.
		Regierungs- Bezirk	L se	Mainfranken	Ober- and Mittelfranken	Niederbayern and Oberpfalz	aben	Oberbayern	-	Wiesbaden	an an	-	Württemberg	Bremen Port Command	Berlin (Am. Sector)	* No data submitted.
		Regier	TOTAL US Zone	Mainf	Ober	Nied	Schwaben	Ober	Kassel	Wiesk	Hessen	Baden	Würth	Bremen Po Command	Berlin (Am.	*

4

Communicable Disease Report (by Land) United States Zone of Germany for Week Ending 27 April 1946

	Measles	25	48	13	11	
ths	ezuənljul	25	59	4	12	* *
d: deaths	Malaria	4	11	4	-	-
o.	Encephalitis epidemic	11	-1	11	11	11
cases	Rabies	11	11	11	11	
C: Ca	Scabies	1452	314	814	488	11
	Infectious Jaundice		4	11	11	11
EAS	Undulant Fever	11	11	1.1	11	
DIS	Bact. FoodPoisoning		11	- 1	11	
ABLE	Dysentery infectious	2-	11	2	7	6
CNIC	Paratyphoid	00	2	ω	11	11
MMC	Typhoid Fever	59	21	21	7	17
of CC	silidqy2	261	169	1 64	23	49
ATHS	Gonorrhea	848	539	329	140	142
DE/	Poliomyelitis	11	11	11	11	11
and	Meningitis meningococcus	m	-1	-		11
SES	Whooping Cough	169	62	77	11	11
V CA	Tuberculosis other	13	15	22	11	16
of Ne	Tuberculosis lung & Larynx	266	149	100	90	54
nber	Scarlet Fever	68	42	25	m	25
Reported Number of New CASES and DEATHS of COMMUNICABLE DISEASE	Diphtheria	266	194	163	44	65
orte	XendinA	11	11	11	11	11
Sep	Plague			* *		* *
-	Smallpox Cholera			* *		* *
	Relapsing Fever					
	Louse-borne	0 1	11	11		
-	Cases, Deaths Typhus Fever		11	1 1	1 1	1 1
-	Cases, Deaths	0-0	0.0	00	O U	0.0
	Popu- lation	8,146,734 C	3,445,924 c	3,043,926	473,000	934,000 ^C d
	Land	Bavaria	Greater	Württemberg 3,043,926 c	Bremen Port Command	Berlin (US Sector)

Case Rate Expressed as per 10,000 Population per Annum

Bavaria	8,146,734 .64	.64			— 17.02 4.3517.02 1.86 10.82 .19 — 54.2716.70 3.78 .51 .32 .06 —	4.35	517.02	1.86	10.82	.19		54.27	16.70	3.78	.5		90.	1	6	— 92.92 — — .26 II.60 1.60	1	97	30 1.6	0,5
Greater Hesse	3,445,924					6.3	122.50	2.27	9.36	.15		81.39	25.52	3.17	37.	1		1	.604	7.41	15	80	317.	25
Württemberg 3,043,926 Baden	3,043,926	Ī	*	1	* * - 27.87 4.28 17.10 3.76 13.17	4.28	317.10	3.76	13.17			——————————————————————————————————————	10.94	3.5	1.37	80,	.17		ī	— I39,19 — — .68 .68 2.22	9.	80	582.	72
Bremen Port Command	473,000	1			- 48.35 3.29 6.59 -	3.29	6.59	1	1	1.10		— 1.10 — 153.86 25.28 2.20 — 2.20 —	25.28	3 2.20		2.2		1	1	- 536.31 - 1.10 13.19	-	10 13.	61	
Berlin (US Sector)	934,000	Í	*	1	* * - 36.20 13.93 30.08 8.91 -	13.9	30.08	8.91	1	1	Ī	— 79.09 _{27.29} 9.47 — 5.01 — —	27.29	9.4		5.0	1		1	* 95. — — —	ai ai	* 99		

APPENDIX "C"

Communicable Disease Rates United States Zone of Germany

for Week Ending 27 April 1946

ubmitted. S Bremen included in reports from British Zone — Not included in (Rafes Expressed as per 10,000 per Annum)

6

Military Government

Weekly Health Report

A STATE OF S

DIFFEC OF HOMEON ORDERS HAS SOMEONE DIVISION OF STREET